SAFETY DATA SHEET



Ultra Shine D8

Section 1. Identification of the substance/mixture and of the company/undertaking

GHS product identifier	1	Ultra Shine D8
Product code	1	29960
Other means of identification	:	Not available.
Product type	:	Powder coating.

Relevant identified uses of the substance or mixture and uses advised against

Use in coatings - Industrial use

Manufacturing country	: Jotun Thailand Limited 700/353 Amata Nakorn Industrial Estate (BIP 2) Moo 6, Tumbol Donhualoh, Amphur Muang Chonburi Chonburi 20000 Thailand
	Phone: + 66 2 022 9888 Fax: + 66 2 022 9888 , + 66 38 214 375
	SDSJotun@jotun.com
Emergency telephone number	: Jotun Thailand Limited Phone: + 66 2 022 9888 ext. 3101, 2400, 2402

Section 2. Hazards identification

Classification of the substance or mixture	ONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
GHS label elements	
Signal word	🛛 📈o signal word.
Hazard statements	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements	
General	Not applicable.
Prevention	▶ ▶ 273 - Avoid release to the environment.
Response	Not applicable.
Storage	Not applicable.
Disposal	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Other hazards which do not	1	None known.
result in classification		

Section 3. Composition/information on ingredients

Substance/mixture

Other means of identification

- : Mixture
- : Not available.

Ingredient name	%	CAS number
2,4,8,10-tetraoxa-3,9-diphosphaspiro[5.5]undecane, 3,9-bis[2,4-bis	≤1	26741-53-7
(1,1-dimethylethyl)phenoxy]-		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	 Fush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.

Most important symptoms/effects, acute and delayed

Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards. **Over-exposure signs/symptoms** : No specific data. Eye contact Inhalation : No specific data. **Skin contact** : No specific data. : No specific data. Ingestion

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.

Section 5. Firefighting measures

	-
Specific hazards arising from the chemical	Fhis material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Woid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and material for con	Ita	inment and cleaning up

Small spill	: Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities	 age, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
--	---

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Dust Limit : 10 mg/m³ (TWA of total inhalable dust) and 4 mg/m³ (TWA of respirable) None.

Appropriate engineering controls	: Sood general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measure	<u>es</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying to ISO 16321-1:2022 should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
		There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. The breakthrough time must be greater than the end use time of the product. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance. Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure controls/personal protection

Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
	If workers are exposed to concentrations above the exposure limit, they must use a respirator according to EN 140. If dust is generated and ventilation is inadequate, use respirator that will protect against dust/mist. (FFP2 / N95).

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Physical state:Solid.Colour:Various.Odour:Odourless.Odour threshold:Not available.pH:Not applicable.Melting point/freezing point:Not applicable.Boiling point, initial boiling point, and boiling range:Not applicable.Flash point:Not applicable.Evaporation rate:Not available.Flammability:Not available.Lower and upper explosion imitfalmamability limit:Not available.Vapour pressure:Not available.Relative density:1.2 to 1.9 g/cm³Solubility:cold waterNot solublePartition coefficient: n- octanol/water:Not available.Auto-ignition temperature:Not available.Particle characteristics:Not available.Median particle size:Not available.Yanger stresser::Not available.:Particle characteristics:Median particle size:	Appearance			
Odour:Odourless.Odour threshold:Not available.pH:Not applicable.Melting point/freezing point:Not applicable.Boiling point, initial boiling point, and boiling range:Not available.Flash point:Not available.Flash point:Not available.Evaporation rate:Not available.Flammability:Not applicable.Lower and upper explosion imit/flammability limit:Not available.Vapour pressure:Not available.Relative vapour density:Not available.Relative density:Not available.Solubility:Not available.Partition coefficient: n- octanol/water:Not available.Auto-ignition temperature Viscosity:Not applicable.Particle characteristics:Not available.Porticle characteristics:Not available.	Physical state	:	Solid.	
Odour threshold:Not available.pH:Not applicable.Melting point/freezing point:Not applicable.Boiling point, initial boiling point, and boiling range:Not available.Flash point::Not available.Flash point:Not available.Evaporation rate:Not available.Lower and upper explosion imit/flammability limit:Not available.Vapour pressure:Mot available.Relative vapour density solubility:Not available.Relative density cotano/water:Not available.Partition coefficient: n- octano/water:Not available.Auto-ignition temperature Decomposition temperature:Not applicable.Particle characteristics:Not available.Particle characteristics:Not available.	Colour	1	Various.	
pH:Not applicable.Melting point/freezing point:Not applicable.Boiling point, initial boiling point, and boiling range:Not available.Flash point:Not applicable.Evaporation rate:Not available.Flammability:Not applicable.Lower and upper explosion limit/flammability limit:Not available.Vapour pressure:Not available.Relative density:1.2 to 1.9 g/cm³Solubility:cold water hot waterNot solublePartition coefficient: n- octanol/water:Not applicable.Auto-ignition temperature:Not applicable.Decomposition temperature:250°C (482°F)Viscosity::Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)Flow time (ISO 2431):Not available.Particle characteristics:Not available.	Odour	1	Odourless.	
Melting point/freezing point: Not applicable.Boiling point, initial boiling point, and boiling range: Not available.Flash point: Not applicable.Evaporation rate: Not applicable.Flammability: Not applicable.Lower and upper explosion limit/flammability limit: Not available.Vapour pressure: Not available.Relative vapour density: Not available.Relative density: 1.2 to 1.9 g/cm³Solubility: cold water hot waterNot soluble Not solublePartition coefficient: n- octanol/water: Not applicable.Auto-ignition temperature Pecomposition temperature Flow time (ISO 2431): Not available.Flow time (ISO 2431): Not available.Particle characteristics: Not available.	Odour threshold	1	Not available.	
Boiling point, initial boiling point, and boiling range: Not available.Flash point: Not applicable.Evaporation rate: Not available.Flammability: Not applicable.Lower and upper explosion limit/flammability limit: Not applicable.Vapour pressure: Not available.Relative vapour density: Not available.Relative density: 1.2 to 1.9 g/cm³Solubility: cold water Not soluble hot waterPartition coefficient: n- octanol/water: Not applicable.Auto-ignition temperature: Not applicable.Decomposition temperature: Sto°C (482°F)Viscosity: Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)Flow time (ISO 2431): Not available.	рН	1	Not applicable.	
point, and boiling rangeFlash point: Not applicable.Evaporation rate: Not available.Flammability: Not applicable.Lower and upper explosion: Mot applicable.limit/flammability limit: Mot available.Vapour pressure: Mot available.Relative vapour density: Not available.Relative density: 1.2 to 1.9 g/cm³Solubility: cold waterNot solublePartition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not applicable.Decomposition temperature: 250°C (482°F)Viscosity: Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)Flow time (ISO 2431): Not available.	Melting point/freezing point	:	Not applicable.	
Evaporation rate: Not available.Flammability: Not applicable.Lower and upper explosion: Not applicable.limit/flammability limit: Not available.Vapour pressure: Not available.Relative vapour density: Not available.Relative density: 1.2 to 1.9 g/cm³Solubility: cold waterNot soluble hot waterPartition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not applicable.Decomposition temperature: Solubile.Viscosity: Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)Flow time (ISO 2431): Not available.Particle characteristics: Not available.		:	Not available.	
Flammability : Not applicable. Lower and upper explosion limit/flammability limit : Not applicable. Vapour pressure : Not available. Relative vapour density : Not available. Relative density : 1.2 to 1.9 g/cm³ Solubility : cold water Not soluble hot water Not soluble Partition coefficient: n- octanol/water : Not available. Auto-ignition temperature : Not applicable. Decomposition temperature : Solubile. Viscosity : Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt) Flow time (ISO 2431) : Not available.	Flash point	:	Not applicable.	
Lower and upper explosion limit/flammability limit Vapour pressure : Not available. Relative vapour density : Not available. Relative density : 1.2 to 1.9 g/cm ³ Solubility : cold water Not soluble hot water Not soluble Partition coefficient: n- octanol/water Auto-ignition temperature : Not available. Decomposition temperature : Not applicable. Decomposition temperature : 250°C (482°F) Viscosity : Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt) Flow time (ISO 2431) : Not available.	Evaporation rate	:	Not available.	
limit/flammability limit Vapour pressure : Not available. Relative vapour density : Not available. Relative density : 1.2 to 1.9 g/cm³ Solubility : cold water Not soluble Partition coefficient: n-octanol/water : Not available. Auto-ignition temperature : Not applicable. Decomposition temperature : 250°C (482°F) Viscosity : Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt) Flow time (ISO 2431) : Not available.	Flammability	:	Not applicable.	
Relative vapour density: Not available.Relative density: 1.2 to 1.9 g/cm³Solubility: cold water hot waterNot soluble Not solublePartition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not applicable.Decomposition temperature: 250°C (482°F)Viscosity: Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)Flow time (ISO 2431): Not available.Particle characteristics		:	Not applicable.	
Relative density : 1.2 to 1.9 g/cm³ Solubility : cold water Not soluble Not soluble Partition coefficient: n- octanol/water : Not available. Auto-ignition temperature : Not applicable. Decomposition temperature : 250°C (482°F) Viscosity : Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt) Flow time (ISO 2431) : Not available. Particle characteristics : Soluble.	Vapour pressure	:	Not available.	
Solubility : cold water Not soluble Not soluble Not soluble Partition coefficient: n- octanol/water : Not available. Auto-ignition temperature : Not applicable. Decomposition temperature : 250°C (482°F) Viscosity : Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt) Flow time (ISO 2431) : Not available. Particle characteristics	Relative vapour density	:	Not available.	
hot waterNot solublePartition coefficient: n- octanol/water: Not available.Auto-ignition temperature: Not applicable.Decomposition temperature: 250°C (482°F)Viscosity: Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)Flow time (ISO 2431): Not available.Particle characteristics	Relative density	:	1.2 to 1.9 g/cm ³	
octanol/waterImage: Not applicable.Auto-ignition temperature: Not applicable.Decomposition temperature: 250°C (482°F)Viscosity: Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)Flow time (ISO 2431): Not available.Particle characteristics	Solubility	:		
Decomposition temperature: 250°C (482°F)Viscosity: Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)Flow time (ISO 2431): Not available.Particle characteristics		:	Not available.	
Viscosity: Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)Flow time (ISO 2431): Not available.Particle characteristics	Auto-ignition temperature	:	Not applicable.	
Flow time (ISO 2431) : Not available. Particle characteristics	Decomposition temperature	:	250°C (482°F)	
Particle characteristics	Viscosity	:	Kinematic (40°C	(104°F)): >20.5 mm²/s (>20.5 cSt)
	Flow time (ISO 2431)	:	Not available.	
Median particle size : Not available.	Particle characteristics			
· · · · · · · · · · · · · · · · · · ·	Median particle size	1	Not available.	

Section 10. Stability and reactivity

Date of issue/Date of revision	: 13.01.2025	5/9
Conditions to avoid	: No specific data.	
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
Chemical stability	: The product is stable.	
Reactivity	: No specific test data related to reactivity available for this product or its ingredien	ts.

Section 10. Stability and reactivity

Incompatible materials : Not applicable.

 Hazardous decomposition
 : Under normal conditions of storage and use, hazardous decomposition products

 products
 : Should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitisation

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes : Not available.

of exposure

 Potential acute health effects

 Eye contact
 : No known significant effects or critical hazards.

 Inhalation
 : No known significant effects or critical hazards.

 Skin contact
 : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Symptoms related	<u>to the physical,</u>	chemical and	toxicological	characteristics
Eye contact	: 🕅	, o specific data		

	· ·
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

<u>Delayed and immediate effects as well as chronic effects from short and long-term exposure</u> <u>Short term exposure</u>

Section 11. Toxicological information

Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	ects
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
2,4,8,10-tetraoxa- 3,9-diphosphaspiro[5.5] undecane, 3,9-bis[2,4-bis (1,1-dimethylethyl)phenoxy]-	Acute EC50 97 mg/l	Algae	72 hours
	Acute LC50 70.7 mg/l Chronic NOEC 0.1 mg/l	Fish Daphnia	96 hours 21 days

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil Soil/water partition : Not available. coefficient (Koc) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods :	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its
--------------------	---

Section 13. Disposal considerations

container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	UN	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

ADR / RID

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

Harmful Chemicals List : Listed

International regulations

<u>Chemical Weapon Convention List Schedules I, II & III Chemicals</u> Not listed.

: 13.01.2025

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 16. Other information

<u>History</u>	
Date of printing	: 13.01.2025
Date of issue/Date of revision	: 13.01.2025
Date of previous issue	: 03.01.2024
Version	: 1.02

Section 16. Other information

Key to abbreviations	: ATE = Acute Toxicity Estimate
-	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships,
	1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	N/A = Not available
	SGG = Segregation Group
	UN = United Nations
Procedure used to deriv	the classification

Procedure used to derive the classification

Classification	Justification
ONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3	Calculation method

References

: Not available.

V Indicates information that has changed from previously issued version.

Notice to reader

The information in this document is given to the best of Jotun's knowledge, based on laboratory testing and practical experience. Jotun's products are considered as semi-finished goods and as such, products are often used under conditions beyond Jotun's control. Jotun cannot guarantee anything but the quality of the product itself. Minor product variations may be implemented in order to comply with local requirements. Jotun reserves the right to change the given data without further notice.

Users should always consult Jotun for specific guidance on the general suitability of this product for their needs and specific application practices.

If there is any inconsistency between different language issues of this document, the English (United Kingdom) version will prevail.