SAFETY DATA SHEET



Hardtop Peelable TU

Section 1. Identification		
GHS product identifier	: Hardtop Peelable TU	
Product code	: 38022	
Other means of identification	: Not available.	
Product type	: Liquid.	
Product description	: Paint.	
Relevant identified uses of th	ne substance or mixture and uses advised against	
Use in coatings - Industrial u		
Use in coatings - Profession	al use	
Supplier's details	: 佐敦涂料(张家港)有限公司 江苏省张家港保税区扬子江化学工业园长江路15号 215634 电话: +86 512 58937988 传真: +86 512 58937986	
	Jotun Coatings (Zhangjiagang) Co. Ltd No.15 Changjiang Road Jiangsu Yangtze River International Chemical Industry Park, Zhangjiagang Free Trade Zone, Jiangsu Province 215634 Tel: +86 512 58937988 Fax: +86 512 58937986	
	Jotun Paints (Malaysia) Sdn Bhd, Lot 7 Persiaran Perusahaan, Section 23 40300 SHAH ALAM, Selangor Darul Ehsan Malaysia Tel: +603 51235500 Fax: +603 51235599	
	SDSJotun@jotun.com	
Emergency telephone number (with hours of operation)	: Jotun Coatings (Taiwan) Ltd. Co. Tel: +886 2 87705061	

Section 2. Hazards identification

Classification of the substance or mixture	: Not classified.
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.

Section 2. Hazards identification

Other hazards which do not : None known. result in classification

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture : Not available.

Other means of identification

NULAVAIIAD

Product name	% (w/w)	CAS number	Туре
ethanediol	≤3	107-21-1	[1] [2]
产品名称	% (w/w)	CAS号码	类型
乙二醇	≤3	107-21-1	[1] [2]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Description of necessa	ary mat and measures
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health eff	ects		
Eye contact	: No known significant effects or critical hazards.		
Inhalation	: No known significant effects or critical hazards.		
Skin contact	: No known significant effects or critical hazards.		
Ingestion	: No known significant effects or critical hazards.		
<u>Over-exposure signs/syn</u>	<u>iptoms</u>		
Eye contact	: No specific data.		
Inhalation	: No specific data.		
Skin contact	: No specific data.		
Ingestion	: No specific data.		
Indication of immediate m	edical attention and special treatment needed, if necessary		
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.		
Specific treatments	: No specific treatment.		
Date of issue/Date of revision	: 14.08.2023 Date of previous issue : 18.07.2023 Version : 1.02 2/10		

Section 4. First aid measures

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures		
Extinguishing media		
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	: None known.	
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.	
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. 	
Section 6. Accide	ntal release measures	
Personal precautions, protective equipment and emergency procedures	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.	

Environmental precautions : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handl	ing			
Protective measures	: Put on appropriate personal p	rotective equipment (see S	ection 8).	
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.		S	
Date of issue/Date of revision	: 14.08.2023 Date of previous is	sue : 18.07.2023	Version : 1.02	3/10

Section 7. Handling and storage

Conditions for safe storage,	1	Store in accordance with local regulations. Store in original container protected
including any		from direct sunlight in a dry, cool and well-ventilated area, away from incompatible
incompatibilities		materials (see Section 10) and food and drink. Keep container tightly closed and
-		sealed until ready for use. Containers that have been opened must be carefully
		resealed and kept upright to prevent leakage. Do not store in unlabelled containers.
		Use appropriate containment to avoid environmental contamination. See Section 10
		for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name			Exposure limits
ethanediol			TW Minstry of Labor, labor permissible workplace exposure standards, allowable concentration (Taiwan, 3/2018). TWA: 10 mg/m ³ 8 hours. Form: Mist STEL: 15 mg/m ³ 15 minutes. Form: Mist CEIL: 50 ppm Form: Vapour CEIL: 127 mg/m ³ Form: Vapour
Biological exposure indices	<u>s</u>		
No exposure indices known.			
Appropriate engineering controls	:	Good general ventilation should be su contaminants.	ifficient to control worker exposure to airborne
ndividual protection measu	<u>res</u>		
Respiratory protection	:	appropriate standard or certification.	exposure, select a respirator that meets the Respirators must be used according to a ure proper fitting, training, and other important
Hand protection	:	resistance to any individual or combin The breakthrough time must be great The instructions and information provi storage, maintenance and replaceme Gloves should be replaced regularly a material. Always ensure that gloves are free fro correctly. The performance or effectiveness of t damage and poor maintenance. Barrier creams may help to protect the applied once exposure has occurred. Wear suitable gloves tested to ISO 37 May be used, gloves(breakthrough Viton® (> 0.7 mm), 4H/Silver Shield® rubber (> 0.4 mm), neoprene (> 0.35 For right choice of glove materials, wir penetration, seek advice by the supp The user must check that the final che	er than the end use time of the product. ided by the glove manufacturer on use, nt must be followed. and if there is any sign of damage to the glove orm defects and that they are stored and used the glove may be reduced by physical/chemical e exposed areas of the skin but should not be 74-1:2016. ne) 4 - 8 hours: polyvinyl alcohol (PVA) (> 0.3 time) > 8 hours: butyl rubber (> 0.4 mm), (> 0.07 mm), Teflon (> 0.35 mm), nitrile mm), PVC (> 0.5 mm) th focus on chemical resistance and time of lier of chemical resistant gloves. bice of type of glove selected for handling this akes into account the particular conditions of

Section 8. Exposure controls/personal protection

-	· · ·
Eye protection	: Safety eyewear complying to ISO 16321-1:2022 should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: Pink
Odour	: Characteristic.
Odour threshold	: Not available.
рН	: 9.6
Melting point/freezing point	: 0
Boiling point, initial boiling point, and boiling range	: Not available.
Flash point	: Closed cup: >250°C (>482°F)
Flammability	: Not available.
Lower and upper explosion limit/flammability limit	: 3.2 - 15.3%
Vapour pressure	:

2

	V	apour Press	ure at 20°C	V	apour pres	ssure at 50°C
Ingredient name	mm Hg	kPa	Method	mm Hg	kPa	Method
water	17.5	2.3				
2-amino-2-methylpropanol	0.34	0.045	ASTM E 1194			
ethanediol; ethylene glycol	0.09	0.012				
aluminum hydroxide	<0.075	<0.01				
propylidynetrimethanol	0	0				
[N,N,N',N',N'',N''-hexaethyl-29H, 31H- phthalocyaninetrimethylaminato (2-)-N29,N30,N31,N32]copper	0	0		0	0	
bronopol	0	0		0	0	
elative vapour density	: Not ava	ailable.	•			
ensity	: 1.084 t	o 1.086 g/cm	3			

Solubility(ies)

Section 9. Physical and chemical properties and safety characteristics

Media	Result	
cold water hot water	Easily soluble Easily soluble	
artition coefficient: n-	: Not applicable.	

Partition coefficient: noctanol/water

Auto-ignition temperature

Ingredient name	°C	°F	Method	
[N,N,N',N'',N''-hexaethyl-29H,31H- phthalocyaninetrimethylaminato(2-)-N29,N30,N31, N32]copper	192	377.6		
cellulose, 2-hydroxyethyl ether	380	716		
ethanediol; ethylene glycol	398	748.4		
2-amino-2-methylpropanol	438	820.4	ASTM D 2161	
sodium acrylate	438	820.4		

Viscosity : Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)

	,
Particle	characteristics
Median	particle size

: Not applicable.

Section 10. Stability and reactivity

Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatible materials	:	No specific data.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Product/ingredient name	Result		Specie	es	Dose		Exposure
ethanediol	LD50 Oral		Rat		4700	mg/kg ·	-
rritation/Corrosion	•		ļ		1	·	
Product/ingredient name	Result	Spec	ies	Score	•	Exposure	Observation
ethanediol	Eyes - Mild irritant	Rabb	oit	-		1 hours 100 milligrams	-
	Eyes - Mild irritant	Rabb	oit	-		24 hours 500 milligrams	-
	Eyes - Moderate irritant	Rabb	oit	-		6 hours 1440 milligrams	-
	Skin - Mild irritant	Rabb	oit	-		555 milligrams	-

Not available.

Section 11. Toxicological information

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Product/ingredient name		Route of exposure	Target organs
ethanediol	Category 2	oral	kidneys

Aspiration hazard

Not available.

Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

<u>Short term exposure</u>			
Potential immediate effects	:	Not available.	
Potential delayed effects	:	Not available.	
<u>Long term exposure</u>			
Potential immediate effects	:	Not available.	
Potential delayed effects	:	Not available.	
Potential chronic health effe	ect	<u>S</u>	
Not available.			
General	:	No known significant effects or critical hazards.	
Carcinogenicity	:	No known significant effects or critical hazards.	
Mutagenicity	:	No known significant effects or critical hazards.	
Reproductive toxicity	:	No known significant effects or critical hazards.	
Date of issue/Date of revision		: 14.08.2023 Date of previous issue : 18.07.2023	V

Section 11. Toxicological information

Numerical measures of toxicity

Acute toxicity estimates

•	Oral (mg/ kg)	Dermal (mg/kg)	(mg/l)	Inhalation (dusts and mists) (mg/l)
Hardtop Peelable TU ethanediol		N/A N/A		N/A N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
ethanediol	Acute LC50 41000000 μg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
ethanediol	-1.36	-	low

Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Section 14. Transport information

	UN	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

TCCSCA List of toxic chemicals

Not applicable.

TCCSCA List of concerned chemicals

Not applicable.

Priority management chemicals, Article 2

Chemical substances possessing physical hazards or health hazards (Article 2.2 (II))

Ingredient name	Name on list	Concentration
2-methyl-2H-isothiazol-3-one (MIT)	2-methyl-4-isothiazolin-3-one	≤0.1
1,2-benzisothiazol-3(2h)-one (BIT)	1,2-benzisothiazole-3-one	≤0.1
2-octyl-2h-isothiazol-3-one (OIT)	2-n-octy1-4-isothiazolin-3-one	≤0.1

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 16. Other information

Procedure used to derive the classification Not classified. References : Not available. **Organisation that prepared** : Jotun AS, Norway the SDS +47 33 45 70 00 **History** : 14.08.2023 **Date of printing** Date of previous issue : 18.07.2023 Version : 1.02 Key to abbreviations : ATE = Acute Toxicity Estimate **BCF = Bioconcentration Factor** GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not availableSGG = Segregation Group UN = United Nations

Indicates information that has changed from previously issued version.

Notice to reader

The information in this document is given to the best of Jotun's knowledge, based on laboratory testing and practical experience. Jotun's products are considered as semi-finished goods and as such, products are often used under conditions beyond Jotun's control. Jotun cannot guarantee anything but the quality of the product itself. Minor product variations may be implemented in order to comply with local requirements. Jotun reserves the right to change the given data without further notice.

Users should always consult Jotun for specific guidance on the general suitability of this product for their needs and specific application practices.

If there is any inconsistency between different language issues of this document, the English (United Kingdom) version will prevail.